




Kits listed in this chart may be available or had been offered in the past by this supplier.

Prokraft Kit Bushing & Tube Refs.
Imperial English Units Revised 7-2-2023
 Please report any additions, corrections, suggestions to:
 Wayne Racinowski - IAP Library Manager
 libman (at) penturners (dot) org

Downloaded from WWW.PENTURNERS.ORG

Note: All data was compiled from suppliers published kit, tube and bushing information.

Dimensions are based on Imperial English.
 Averaged Bushing Diameter Size was used to determine Category Sizing:
 Slim = (.301 - .400) Dia.
 Medium = (.401 - .500) Dia.
 Large = (.501 - .600) Dia.
 Extra Large = (.601 - .700) Dia.



Kit Style 0 are Misc. Kit Styles

Some Kits May Require Modifying Replacement Tube Lengths.



Typical Mandrel Dia. Sizes
 A - .247 Dia. B - .291 Dia.
 Size Determined by Supplier



Kit Supplier	Kit Description	Category & Size	Kit Style	Replacement Tubes	Bushing Set
Prokraft	Atom 2 Click BP (Prokraft)	Medium Single Tube BP Pens	1	AT2 TUBE	AT2MBS
Prokraft	Ayres Click Pencil - Sierra Styled (Prokraft)	Medium Single Tube Pencils	1	SERTUBE	SIÉBSH
Prokraft	Ayres Twist BP - Sierra Styled (Prokraft)	Medium Single Tube BP Pens	1	SERTUBE	SIÉBSH
Prokraft	Byron Screw Cap FP (Prokraft)	Large Sized FP Pens	3	BYPT	BYBSH
Prokraft	Byron Screw Cap RB (Prokraft)	Large Sized RB Pens	3	BYPT	BYBSH
Prokraft	Chaucer Twist BP (Prokraft)	Slim Sized BP Pens	2	T7	SPB3
Prokraft	Director Twist BP (Prokraft)	Medium Sized BP Pens	2	DIR-TU	DIR BSH
Prokraft	Eliot Click BP - Gel (Prokraft)	Medium Sized BP Pens	2	ELIOT TU	ELIOT BSH
Prokraft	Hexa Screw Cap FP (Prokraft)	Medium Sized Single FP Tube Pens	3	HEXATU	HEXABSH
Prokraft	Hexa Screw Cap RB (Prokraft)	Medium Sized Single Tube RB Pens	3	HEXATU	HEXABSH
Prokraft	Ion Twist BP (Prokraft)	Medium Sized Single Tube BP Pens	1	AT2 TUBE	AT2 MBS
Prokraft	Keats Slim Twist BP (Prokraft)	Slim Sized BP Pens	2	KEAT-TU	KEATBSH
Prokraft	Keyring Screw Cap BP (code AKK) - Premium (Prokraft)	Medium Sized Single Tube BP Pens	3	AKK TU	AKK BSH
Prokraft	Letter Opener - LET2 (Prokraft)	Slim Sized Single Tube Letter Openers	0	APT	BUSH LO
Prokraft	Letter Opener - LET3 Premium (Prokraft)	Ornate Slim Sized Single Tube Letter Openers	0	APT	BUSH LO
Prokraft	Letter Opener - LET4 4 Ring (Prokraft)	Medium Sized Single Tube Letter Openers	0	LET4 TU	L4BSH
Prokraft	Magnifier - AMC (Prokraft)	Medium Sized Single Tube Specialty Items	0	LET4 TU	L4BSH
Prokraft	Magnifier - Premium (Prokraft)	Medium Sized Single Tube Specialty Items	0	X	x







Kits listed in this chart may be available or had been offered in the past by this supplier.

Prokraft Kit Bushing & Tube Refs.
Imperial English Units Revised 7-2-2023
Please report any additions, corrections, suggestions to:
Wayne Racinowski - IAP Library Manager
libman (at) penturners (dot) org

Downloaded from WWW.PENTURNERS.ORG

Note: All data was compiled from suppliers published kit, tube and bushing information.

Tolerances - All Imperial English Units Measurements:
2 - Place Dims +/- .01 & 3 - Place Dims +/- .005



Use this Chart with Discretion. Manufacturers Change dimensions of parts on Occasion. It Should Only be Used as a Reference Guide.
ALWAYS MEASURE AND RELY ON THE KIT PARTS FOR ACCURACY.

Kit Supplier	Kit Description	Upper Body Tubes			Upper Body			Lower Body Tubes			Lower Body		
		A Drill Dia.	B Dia.	C Length	D Dia.	E Dia.	F Dia.	G Drill Dia.	H Dia.	I Length	J Dia.	K Dia.	L Dia.
Prokraft	Atom 2 Click BP (Prokraft)	11/32 or 8.8mm	0.338	3.94	0.406	0.316	0.406	x	x	x	x	x	x
Prokraft	Ayres Click Pencil - Sierra Styled (Prokraft)	27/64 or 10.7mm	0.410	2.21	0.472	0.381	0.472	x	x	x	x	x	x
Prokraft	Ayres Twist BP - Sierra Styled (Prokraft)	27/64 or 10.7mm	0.410	2.21	0.472	0.381	0.472	x	x	x	x	x	x
Prokraft	Byron Screw Cap FP (Prokraft)	12mm or 15/32	0.450	1.82	0.530	0.429	0.530	10mm or 25/64	0.385	2.32	0.530	0.362	0.451
Prokraft	Byron Screw Cap RB (Prokraft)	12mm or 15/32	0.450	1.82	0.530	0.429	0.530	10mm or 25/64	0.385	2.32	0.530	0.362	0.451
Prokraft	Chaucer Twist BP (Prokraft)	7mm or J	0.268	2.03	0.331	x	0.331	7mm or J	0.268	2.03	0.331	x	0.331
Prokraft	Director Twist BP (Prokraft)	3/8 or 9.5mm	0.368	1.81	0.472	0.345	0.472	3/8 or 9.5mm	0.368	2.41	0.472	0.345	0.433
Prokraft	Eliot Click BP - Gel (Prokraft)	8mm or O	0.311	1.93	0.406	0.286	0.406	8mm or O	0.311	1.93	0.406	0.286	0.406
Prokraft	Hexa Screw Cap FP (Prokraft)	Metal Cap	x	x	x	x	x	10mm or 25/64	0.385	3.11	0.480	0.362	0.480
Prokraft	Hexa Screw Cap RB (Prokraft)	Metal Cap	x	x	x	x	x	10mm or 25/64	0.385	3.11	0.480	0.362	0.480
Prokraft	Ion Twist BP (Prokraft)	11/32 or 8.8mm	0.338	3.94	0.406	0.316	0.406	x	x	x	x	x	x
Prokraft	Keats Slim Twist BP (Prokraft)	8mm or O	0.311	1.93	0.390	0.286	0.390	8mm or O	0.311	2.32	0.390	0.286	0.370
Prokraft	Keyring Screw Cap BP (code AKK) - Premium (Prokraft)	Metal Cap	x	x	x	x	x	8mm or O	0.311	1.87	0.453	0.286	0.344
Prokraft	Letter Opener - LET2 (Prokraft)	7mm or J	0.268	2.09	0.331	x	0.331	Opener Blade	x	x	x	x	x
Prokraft	Letter Opener - LET3 Premium (Prokraft)	7mm or J	0.268	2.09	0.331	x	0.331	Opener Blade	x	x	x	x	x
Prokraft	Letter Opener - LET4 4 Ring (Prokraft)	9.7mm or W	0.373	2.20	0.480	0.352	0.480	Opener Blade	x	x	x	x	x
Prokraft	Magnifier - AMC (Prokraft)	9.7mm or W	0.373	2.20	0.480	0.352	0.480	Magnifying Glass	x	x	x	x	x
Prokraft	Magnifier - Premium (Prokraft)	Tenon Sizing	0.461	0.354 Deep	x	x	x	Magnifying Glass	x	x	x	x	x



Kits listed in this chart may be available or had been offered in the past by this supplier.

Prokraft Kit Bushing & Tube Refs.
Imperial English Units Revised 7-2-2023
 Please report any additions, corrections, suggestions to:
 Wayne Racinowski - IAP Library Manager
 libman (at) penturners (dot) org

Downloaded from WWW.PENTURNERS.ORG

Note: All data was compiled from suppliers published kit, tube and bushing information.

Dimensions are based on Imperial English.
 Averaged Bushing Diameter Size was used to determine Category Sizing:
 Slim = (.301 - .400) Dia.
 Medium = (.401 - .500) Dia.
 Large = (.501 - .600) Dia.
 Extra Large = (.601 - .700) Dia.



Kit Style 0 are Misc. Kit Styles

Some Kits May Require Modifying Replacement Tube Lengths.



Typical Mandrel Dia. Sizes
 A - .247 Dia. B - .291 Dia.
 Size Determined by Supplier



Kit Supplier	Kit Description	Category & Size	Kit Style	Replacement Tubes	Bushing Set
Prokraft	Nibster Screw Cap FP (Prokraft)	Medium Sized Single Tube Pens	3	ROLL TUBE	ROLLBSH
Prokraft	Rollester Screw Cap RB (Prokraft)	Medium Sized Single Tube Pens	3	ROLL TUBE	ROLLBSH
Prokraft	Rosetti Twist BP (Prokraft)	Ornate Medium Sized Single Tube Pens	2	ROSTU	L4BSH
Prokraft	Saturn Bolt Action BP (Prokraft)	Medium Sized Single Tube Pens	1	SATRNTU	SATBSH
Prokraft	Serea Click BP - Sierra Styled (Prokraft)	Medium Sized Single Tube Pens	2	SERTUBE	SIEBSH
Prokraft	Serea Twist BP - Sierra Styled (Prokraft)	Medium Sized Single Tube Pens	2	SERTUBE	SIEBSH

Averaged Bushing Diameter Size was used to determine Category Sizing:
 Slim = (.301 - .400) Dia. Medium = (.401 - .500) Dia. Large = (.501 - .600) Dia. Extra Large = (.601 - .700) Dia.







Kits listed in this chart may be available or had been offered in the past by this supplier.

Prokraft Kit Bushing & Tube Refs.
Imperial English Units Revised 7-2-2023
 Please report any additions, corrections, suggestions to:
 Wayne Racinowski - IAP Library Manager
 libman (at) penturners (dot) org

Downloaded from WWW.PENTURNERS.ORG

Note: All data was compiled from suppliers published kit, tube and bushing information.

Tolerances - **All Imperial English Units Measurements:**
 2 - Place Dims +/- .01 & 3 - Place Dims +/- .005



Use this Chart with Discretion. Manufacturers Change dimensions of parts on Occasion. It Should Only be Used as a Reference Guide.
ALWAYS MEASURE AND RELY ON THE KIT PARTS FOR ACCURACY.

Kit Supplier	Kit Description	Upper Body Tubes			Upper Body			Lower Body Tubes			Lower Body		
		A Drill Dia.	B Dia.	C Length	D Dia.	E Dia.	F Dia.	G Drill Dia.	H Dia.	I Length	J Dia.	K Dia.	L Dia.
Prokraft	Nibster Screw Cap FP (Prokraft)	3/8 or 9.5mm	0.368	3.27	0.433	0.345	0.453	Metal Cap	x	x	x	x	x
Prokraft	Rollester Screw Cap RB (Prokraft)	Metal Cap	x	x	x	x	x	3/8 or 9.5mm	0.368	3.27	0.433	0.345	0.453
Prokraft	Rosetti Twist BP (Prokraft)	9.7mm or W	0.373	3.25	0.480	0.352	0.480	x	x	x	x	x	x
Prokraft	Saturn Bolt Action BP (Prokraft)	3/8 or 9.5mm	0.368	1.71	0.472	0.345	0.472	x	x	x	x	x	x
Prokraft	Serea Click BP - Sierra Styled (Prokraft)	27/64 or 10.7mm	0.410	2.21	0.474	0.381	0.474	x	x	x	x	x	x
Prokraft	Serea Twist BP - Sierra Styled (Prokraft)	27/64 or 10.7mm	0.410	2.21	0.474	0.381	0.474	x	x	x	x	x	x

Averaged Bushing Diameter Size was used to determine Category Sizing:

Slim = (.301 - .400) Dia. Medium = (.401 - .500) Dia. Large = (.501 - .600) Dia. Extra Large = (.601 - .700) Dia.